AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- 1. (currently amended): A method for measuring lipoarabinomannan in a lipoarabinomannan-containing sample, which comprises at least a step of allowing a Limulus reagent to contact with the sample.
- 2. (currently amended): The method according to claim 1, which further comprises a step of heating the lipoarabinomannan-containing sample before the contact with the Limulus reagent
- 3. (original): The method according to claim 2, wherein the Limulus reagent is an endotoxin-specific Limulus reagent.
- 4. (currently amended): A method for detecting an acid-fast bacterium, which comprises using the method of any one of claims 1 to 3claim 1.
- 5. (original): The method according to claim 4, wherein the acid-fast bacterium is a tubercle bacillus.
- 6. (original): A kit for measuring lipoarabinomannan, which comprises a Limulus reagent as a component.
- 7. (original): The kit according to claim 6, wherein the Limulus reagent is an endotoxin-specific Limulus reagent.
- 8. (currently amended): A kit for detecting an acid-fast bacterium, which comprises the kit of claim 6-or 7.

2

- 9. (original): The kit according to claim 8, wherein the acid-fast bacterium is a tubercle bacillus.
- 10. (currently amended): A method for removing reactivity of lipoarabinomannan in a lipoarabinomannan-containing sample with a Limulus reagent, which comprises at least a step of-allowing one or more substance(s) selected from the following group to coexist with the sample:

a surfactant, an anti-tuberculosis antibody, an anti-lipoarabinomannan antibody, a $(1\rightarrow 3)$ - β -glucan, a carboxymethylated $(1\rightarrow 3)$ - β -glucan, a factor G activation inhibitor, a strong alkaline substance, polymyxin B, colistin, concanavalin A, histidine and histamine.

- 11. (currently amended): A method for measuring an endotoxin using a Limulus reagent in a lipoarabinomannan-containing sample, which comprises at least a step of removing reactivity of lipoarabinomannan with a Limulus reagent by the method of claim 10.
- 12. (original): The method according to claim 11, wherein the Limulus reagent is an endotoxin-specific Limulus reagent.
- 13. (currently amended): A method for detecting an endotoxin-related disease, which comprises using the method of claim 11-or 12.
- 14. (original): A kit for measuring an endotoxin, which comprises a Limulus reagent and one or more substance(s) selected from the following group as components:

a surfactant, an anti-tuberculosis antibody, an anti-lipoarabinomannan antibody, a $(1\rightarrow 3)$ - β -glucan, a carboxymethylated $(1\rightarrow 3)$ - β -glucan, a factor G activation inhibitor and a strong alkaline substance.

- 15. (original): The kit according to claim 14, wherein the Limulus reagent is an endotoxin-specific Limulus reagent.
- 16. (currently amended): A kit for detecting an endotoxin-related disease, which comprises the kit of claim 14-or 15.
- 17. (currently amended): A method for measuring a $(1\rightarrow 3)$ - β -glucan using a Limulus reagent in a lipoarabinomannan-containing sample, which comprises at least a step of removing reactivity of lipoarabinomannan with a Limulus reagent by the method of claim 10.
- 18. (original): The method according to claim 17, wherein the Limulus reagent is a $(1\rightarrow 3)$ - β -glucan-specific Limulus reagent.
- 19. (currently amended): A method for detecting mycosis, which comprises using the method of claim 17-or 18.
- 20. (original): A kit for measuring a $(1\rightarrow 3)$ - β -glucan, which comprises a Limulus reagent and one or more substance(s) selected from the following group as components:

a surfactant, an anti-tuberculosis antibody, an anti-lipoarabinomannan antibody, a strong alkaline substance, polymyxin B, colistin, concanavalin histidine and histamine.

- 21. (original): The kit according to claim 20, wherein the Limulus reagent is a (1→3)-β-glucan-specific Limulus reagent.
- 22. (currently amended): A kit for detecting mycosis, which comprises the kit of claim 20 or 21.
- 23. (original): An agent for binding of lipoarabinomannan, which comprises one or more substance(s) selected from the following group as an active ingredient:

Preliminary Amendment National Stage Entry of PCT/JP04/019206

an anti-tuberculosis antibody, an anti-lipoarabinomannan antibody, $(1\rightarrow 3)$ - β -glucan, a carboxymethylated $(1\rightarrow 3)$ - β -glucan, a factor G activation inhibitor, polymyxin B, colistin, concanavalin A, histidine and histamine.